

HOT SPOT



From the makers of
HotSpring[®]
Every day made better[®]

Relax and Enjoy Real Value



“We are simply thrilled with our hot tub. It truly has changed us and for the better. The tub itself is beautiful; well built, classy, and easy to manage.”

- Relay® owner

Your Time Has Come

Why Now?

Because you're ready....

... to sit back and relax while a hot water massage releases tension from your muscles.

... to enjoy some fresh air and a little more time outside.

... to catch up with the people closest to you, free from the distractions of a typical day.

While the demands of daily life can feel relentless at times, you know it's important to stop and take some time for yourself once in a while.

Now, it's your time.

Why Hot Spot®?

A Hot Spot spa is the perfect blend of affordability and quality. It's built by the makers of Hot Spring® spas, the world's number-one-selling hot tub brand and the industry leader for nearly four decades. Hot Spot spas are designed to provide you with the same excellent customer experience that Hot Spring is known for – at a value price.

By choosing Hot Spot, you get a reliable, quality spa with special features that you will enjoy for years to come. We understand what you need in a hot tub, because we're passionate hot tubbers ourselves. We know firsthand how spending time in a spa every day can rejuvenate your mind, body, and soul. Craftsmanship and long-term reliability, paired with daily enjoyment at a great price. That's the definition of value. That's a Hot Spot spa.



Average Hot Spot spa rating 4.4 out of 5. Learn more at HotSpring.com/reviews



*“Holy cow it’s AWESOME!
On top of my back relief
I also have, much needed,
improved circulation AND
much better sleep.”*

– Rhythm® owner

Get More Out of Getting In



The Hydromassage Experience

Spa shoppers are searching for ways to reduce stress in their lives and soothe tired, sore muscles. What they find is not just physical relief, but mental reprieve as well – a way to slow down. They feel relaxed and unburdened in the warm water – free to reflect privately on the things that matter most, or enjoy meaningful togetherness with those closest to them.

How does all this magic happen? The spa's blend of hot water and massage creates a hydrotherapy experience that raises body temperature and increases circulation. Many dedicated hot tub users say the massage helps relax muscles and reduce stress, while the warm water increases flexibility and relieves pressure on joints.

Hot Spot® Gets Right to the Point

To create the optimum spa experience, Hot Spot spas offer just the right number of jets, configured to relieve the tension in your back, neck, shoulders, calves, and feet and leave you feeling relaxed and refreshed.

The small directional Precision® jets pinpoint specific muscles to provide relief precisely where you need it, while bigger jets offer a broad massage great for larger muscles. You can adjust the strength of these jets to create a truly customized massage.



Water Care Made Easy

When it comes to water care we offer a variety of solutions to fit your needs. Each system is designed to work with our easy-to-clean filter and low-speed filter cycles to keep your water crystal clear and always ready.



In-Line Sanitizing System

The FROG® @ease® In-Line Sanitizing System automatically dispenses SmartChlor® chlorine and minerals for carefree water care. It self-regulates based on the water's sanitization needs, maintaining a consistent level of protection. @ease creates softer feeling water that's virtually free of chemical odors since the system works with up to 75% less chlorine.*

Simply set the dial on the prefilled cartridges and insert them into the convenient in-line holder. SmartChlor cartridges last up to four weeks; mineral cartridges last up to four months; shocking is reduced to once a month. *Available in the U.S. only.*

Combine the FROG @ease cartridges with the optional FreshWater® III ozone system for the most effective water care on Hot Spot spas.

FreshWater® High-Output Ozone

For brilliantly clear, odor-free spa water with minimal chlorine, this easy system is ideal. The FreshWater III corona discharge ozone system neutralizes contaminants on contact by continuously injecting millions of tiny, concentrated ozone bubbles into the water. Combine this with our FreshWater_{Ag+}® continuous silver ion purifier to inhibit bacteria growth, and add a dose of FreshWater MPS chlorine-free oxidizer after each use.

These simple steps are all it takes to enjoy safely sanitized spa water with less need for chemicals.

Traditional Chlorine

For those who prefer a more traditional water care approach, we offer a complete line of FreshWater products, such as concentrated Chlorinating Granules, MPS Oxidizer, pH Up, pH Down and 5-Way Test Strips for a complete maintenance program designed especially for use in your Hot Spot® spa.

** Compared to the minimum ANSI recommended chlorine level of 2.0 ppm in a hot tub.*

Water Care Enhancements

Whatever water care option you choose, these two innovations will enhance the quality and feel of your spa water:

The **Vanishing Act® Calcium Remover** is designed for customers with hard water since it removes calcium particles from spa water, for a softer and silkier feel. This also helps protect hot tub components from hard-water damage.

The **Clean Screen® Pre-Filter** removes organic contaminants, metals, and tannins from your fill water in areas known to have high metal or mineral content.



“We are definitely using less chemicals than with our old spa, and the water is sparkling every day.”

– Relay® owner

Saving Energy Means Energy Savings

Many spa shoppers think that choosing a hot tub with great features at a value price means sacrificing energy efficiency. With Hot Spot® you can have it all. Enjoy a fully featured Hot Spot spa and still take advantage of low operating costs that add up to savings, month after month.

It Starts Inside

All Hot Spot spas use FiberCor® insulation, which fills the cabinet



completely for high energy efficiency.

Loose, wool-like FiberCor fibers fill the spa cabinet to fully insulate the spa. FiberCor is applied at a 2 lb. density level, four times more dense than the typical 1/2 lb. foam used by most brands. It's also recyclable and environmentally responsible.

Wavemaster® Jet Pumps

Powerful and reliable, the Wavemaster jet pump provides optimum hydromassage and cost-efficient operation.

No-Fault® Heater

Our proven, high-quality No-Fault heater is designed to maximize heat transfer, keeping the water temperature high and your electric bill low. With a consistent water temperature, you can enjoy a relaxing soak anytime. The heater is backed by our exclusive No-Fault warranty, which has no exclusions, even for water chemistry.

Topping It Off

Our insulating cover features a dense foam core with a high insulating R-factor, and it is designed specifically for your Hot Spot spa to ensure a tight, custom fit. Plus, an energy-saving hinge seal prevents heat from escaping through the center of the spa cover.

All Hot Spot spas are certified to APSP-14, the national efficiency guideline for hot tubs, as well as to the stringent guidelines set by the California Energy Commission (CEC), the highest standard in the country.

A photograph of a man and a woman relaxing in a hot tub outdoors. The woman is on the left, looking towards the man on the right. They are both smiling and appear to be enjoying the water. The hot tub is white and has jets of water spraying. In the background, there are lush green trees and a house with a dark roof. The scene is set in a well-maintained backyard.

*“We enjoy the tub
anytime day or night, in
any weather, rain, snow, or
shine. The quality, ease of
care, and low energy cost
makes this hot tub a
game-changer.”*

– Relay® owner

To Truly Relax, Choose a Company You Can Trust

Getting peace of mind from a spa requires more than hot water and a good long soak. You also need assurance that the spa you've purchased is backed by a company known for quality and performance.

Because Hot Spot® spas are designed and built by the maker of Hot Spring® spas, the global hot tub leader, you can expect the very best in reliability and customer satisfaction.

With Hot Spring dealer locations across North America, you can count on an experienced, professional Hot Spring retailer for local service and support. They are committed to providing you with an excellent experience before, during, and after the sale. Plus, every Hot Spot spa is backed by our industry-leading limited warranty. *Read full warranty at hotspring.com/hot-tub-owners/hot-tub-warranty/hotspot* For you, this all translates to a worry-free experience, so you can focus on enjoying the benefits of your Hot Spot spa. That's what we call The Absolute Best Hot Tub Ownership Experience®.

Don't take our word for it! Read what Hot Spot owners have to say here and at HotSpring.com/reviews.

“The tub is beautiful; well built, and easy to manage. Customer Service before, during and after the process has been outstanding. I love my hot tub and consider it to be one of the smarter decisions I have made in a very long time.”

– Relay® owner

“Our local dealer was great and knowledgeable. They helped us pick the right spa for our needs and budget. This spa is great for relaxation and socializing and is therapeutic for aching muscles.”

– Rhythm® owner

“One of the best investments we have made in quite some time. For any couple looking to spend some quality time together we highly recommend the TX model.”

– TX owner



*“The quality and
features for the price
couldn’t be beat.
A tremendous value!”*

– Tempo® owner



*“Best addition
to our family
since the kids!!!”*

– Rhythm owner

Accessories

How you accessorize your spa is up to you. But you'll get more out of your spa when you use what we call, **Necessaries**®, which are specifically designed for your Hot Spot spa. Don't compromise your investment or your warranty - insist on genuine Hot Spring Necessaries.

Wireless Audio System

The Tempo®, Rhythm®, and Relay® models are available with integrated speakers so you can add music to your spa experience. Our wireless sound system with Bluetooth® technology allows you to stream music live or from your playlist through your Bluetooth enabled device.



Cover Lifters

A cover lifter proves its worth every time you use your spa by making it quick and easy to uncover the spa and start soaking. Our patented designs help reduce wear on your cover and extend its life. We offer four options, one to suit every spa and space requirement.

CoverCradle® – Dual pneumatic gas springs in our top-of-the-line lifter make cover removal a breeze. It features a low-profile design and an ultra-smooth gliding mechanism. *Requires minimum 24" clearance.*


CoverCradle II – Similar to the CoverCradle, this lifter uses a single pneumatic gas spring for smooth operation. *Requires minimum 24" clearance.*



CoverCradle II



UpRite



Lift 'n Glide

UpRite® – This system lifts the cover up over the spa bar top and is ideal for limited clearance applications such as decks and gazebos. *Requires minimum 7" clearance.*

Lift 'n Glide® – This economical cover lifter makes it easy to lift and remove your cover. *Requires minimum 14" clearance.*

Steps

Easily enter and exit with a step designed for your Hot Spot® spa.

Everwood® Step – A sturdy, low-maintenance step made from the same rigid polymers as the Hot Spot cabinet. *Available in Coastal Gray, Espresso, and Teak.*

Polymer Step – Economical, durable, and lightweight. *Available in Coastal Gray, Espresso, and Teak.*

Looking for more? Other Hot Spot Necessaries include our Spa Side Umbrella, Towel Tree, Hand Rail, and more. Visit HotSpring.com/accessories for details.

TEMPO



6 Adults
7'5" x 7'5" x 39"H
45 Jets

RHYTHM



7 Adults
7' x 7' x 36.75"H
35 Jets

RELAY



6 Adults
7' x 7' x 36.75"H
35 Jets

Tempo[®], Rhythm[®], and Relay[®] Full-Size and Fully Featured

Our Tempo, Rhythm, and Relay models are designed with a full complement of features and enough space to accommodate six to seven adults. These beautiful and comfortable spas are built to enhance your experience with ergonomic seating, cushioned pillows, attractive jet recesses, and sculpted footwells. Packed with features, all three models include two jet pumps and up to 45 jets to provide a satisfying massage.

Points of Light

Create nearly any mood with 10 multi-colored LED points of light in six colors. Four lights brighten the footwell while six others above the waterline reflect off the surface and sparkle as the water moves. Display a single color or a revolving display. A three-step dimmer controls the light intensity.



Soothing Sounds

The Hot Spot[®] waterfall feature is both attractive and soothing. As you relax, you're treated to the meditative sound of gentle, cascading water.



Light your hot tub with a single color or a revolving display.



“We purchased the Rhythm and it has been incredible! It is amazing how good you feel after a session in the spa.”


– Rhythm® owner

Tempo, Rhythm, and Relay

Color options

Choose from three cabinet colors and four shell colors to enhance your outdoor space.

Cabinets



Shells



TEMPO®



Tempo spa shown with Tuscan Sun shell

Customer Rating: 4.4



Tempo spa shown with Tuscan Sun shell, Espresso cabinet, and Everwood® step

RHYTHM®



Rhythm spa shown with Pearl shell

Customer Rating: 4.4



Rhythm spa shown with Pearl shell, Coastal Gray cabinet, and Polymer step

RELAY®



Relay spa shown with Pearl shell

Customer Rating: 4.5



Relay spa shown with Pearl shell, Teak cabinet, and Polymer step

	TEMPO®	RHYTHM®	RELAY®
Seating Capacity	6 adults	7 adults	6 adults
Dimensions	7'5" x 7'5" x 39" / 2.26m x 2.26m x .99m	7' x 7' x 36.75" / 2.13m x 2.13m x .93m	7' x 7' x 36.75" / 2.13m x 2.13m x .93m
Water Capacity	415 gallons / 1,575 litres	355 gallons / 1,350 liters	345 gallons / 1,300 litres
Weight	910 lbs. / 415 kg dry; 5,420 lbs. / 2,470 kg filled*	835 lbs. / 380 kg dry; 5,020 lbs. / 2,290 kg filled*	835 lbs. / 380 kg dry; 4,765 lbs. / 2,160 kg filled*
Lighting	10 multi-color LED points of light, dimmable	10 multi-color LED points of light, dimmable	10 multi-color LED points of light, dimmable
Entertainment (Optional)	Wireless Sound System	Wireless Sound System	Wireless Sound System
Number of Jets	45	35	35
Jets (all with stainless steel trim)	6 Directional Hydromassage jets 4 Rotary Hydromassage jets 35 Directional Precision® jets	5 Directional Hydromassage jets 3 Rotary Hydromassage jets 27 Directional Precision® jets	5 Directional Hydromassage jets 3 Rotary Hydromassage jets 27 Directional Precision® jets
Waterfall	Included	Included	Included
Energy Efficiency	FiberCor® Insulation; Certified to the APSP 14 National Standard and the California Energy Commission	FiberCor® Insulation; Certified to the APSP 14 National Standard and the California Energy Commission	FiberCor® Insulation; Certified to the APSP 14 National Standard and the California Energy Commission
Control System	IQ 2020® 230v/50 amp, 60 Hz Includes G.F.C.I. protected sub-panel	IQ 2020® 230v/50 amp, 60 Hz Includes G.F.C.I. protected sub-panel	IQ 2020® 230v/50 amp, 60 Hz Includes G.F.C.I. protected sub-panel
Heater	No-Fault® 4000w/230v	No-Fault® 4000w/230v	No-Fault® 4000w/230v
Jet Pump 1	Wavemaster® 9200; Two-speed, 2.5 HP Continuous Duty, 5.2 HP Breakdown Torque	Wavemaster® 6200; Two-speed, 1.5 HP Continuous Duty, 3.2 HP Breakdown Torque	Wavemaster® 6200; Two-speed, 1.5 HP Continuous Duty, 3.2 HP Breakdown Torque
Jet Pump 2	Wavemaster® 9000; One-speed, 2.5 HP Continuous Duty, 5.2 HP Breakdown Torque	Wavemaster® 6000; One-speed, 1.5 HP Continuous Duty, 3.2 HP Breakdown Torque	Wavemaster® 6000; One-speed, 1.5 HP Continuous Duty, 3.2 HP Breakdown Torque
Water Care System	FROG® @ ease® In-Line Cartridge Ready	FROG® @ ease® In-Line Cartridge Ready	FROG® @ ease® In-Line Cartridge Ready
Ozone System (Optional)	FreshWater® III Corona Discharge	FreshWater® III Corona Discharge	FreshWater® III Corona Discharge
Effective Filtration Area	65 sq. ft., top loading	65 sq. ft., top loading	65 sq. ft., top loading
Vinyl Cover	3.5" to 2.5" tapered, 2 lb. density foam core, Ash, Caramel or Chestnut	3.5" to 2.5" tapered, 2 lb. density foam core, Ash, Caramel or Chestnut	3.5" to 2.5" tapered, 2 lb. density foam core, Ash, Caramel or Chestnut
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, Lift 'n Glide®, or UpRite®	CoverCradle®, CoverCradle II, Lift 'n Glide®, or UpRite®	CoverCradle®, CoverCradle II, Lift 'n Glide®, or UpRite®
Steps (Optional)	Everwood® or Polymer Coastal Gray, Espresso, or Teak	Everwood® or Polymer Coastal Gray, Espresso, or Teak	Everwood® or Polymer Coastal Gray, Espresso, or Teak
	* Includes water and 6 adults weighing 175 lbs. each; Export models available in 240v, 50Hz, 2000w Heater	* Includes water and 7 adults weighing 175 lbs. each; Export models available in 240v, 50Hz, 2000w Heater	* Includes water and 6 adults weighing 175 lbs. each; Export models available in 240v, 50Hz, 2000w Heater

A man and a woman are relaxing in a white hot tub with a wood-grain exterior. The hot tub is filled with bubbling water and is situated outdoors on a lawn next to a house. The man is leaning back, smiling, and the woman is looking towards him. The hot tub has several jets and a control panel on the right side.

“The Moto-Massage is the most therapeutic jet you could ever ask for! Most tubs were too big for my space and the TX was a perfect fit for me. It’s actually really roomy with two people soaking.”

– TX owner

SX and TX

The Right Size for The Right Space

Not everyone needs a spa with 40 jets, two jet pumps, and space for six or seven adults. Just because you have a smaller family or less space doesn't mean you can't experience all the therapeutic benefits of a Hot Spot® spa. Our three-person SX and two-person TX spas fit the space you have and provide the spa experience you are looking for.

Exclusive **Moto-Massage® Jet**

Beyond the powerful WaveMaster® jet pump, No-Fault® heater, and energy-efficient FiberCor® insulation, the SX and TX models come with the patented Hot Spring® Moto-Massage moving jet. This exclusive, revolutionary jet produces a warm stream of water that sweeps up and down the length of your back

for an unparalleled hydromassage experience.

The Right Size for the Right Space

Our TX spa was the first of its kind in the industry. With its slim profile and unique triangular shape, the TX fits through standard doorways, goes up and down stairs, and navigates around corners. Compact enough for a second-floor deck, yet

roomy enough for you to stretch out and relax, the SX and TX models are ideal choices for a first hot tub, small families, empty nesters, condo owners, and more.

Optional Dedicated Circulation Pump

For maximum energy efficiency, quieter operation, and continuous filtration, the optional SilentFlo 5000® circulation pump can be added to the SX and TX models.



SX



3 Adults
6' x 6' x 33"H
17 Jets

TX



2 Adults
5'8.5" x 5'8.5" x 29"H
10 Jets

SX and TX


SX

TX

Color options

SX and TX models are available in a choice of three cabinet colors and two shell colors.

Cabinets



Coastal Gray

Espresso

Teak

Shells



Pearl

Desert



SX spa shown with Pearl shell

Customer Rating: 4.4



TX spa shown with Pearl shell

Customer Rating: 4.4



SX spa shown with Pearl shell, Coastal Gray cabinet, and Polymer step



TX spa shown with Pearl shell, Espresso Cabinet

	SX	TX
Seating Capacity	3 adults	2 adults
Dimensions	6' x 6' x 33"H/1.83m x 1.83m x .84m	5'8.5" x 5'8.5" x 29"H/1.74m x 1.74m x .74m
Water Capacity	285 gallons/1,075 litres	140 gallons/525 litres
Weight	720 lbs./325 kg dry; 3,620 lbs./1,640 kg filled*	525 lbs./240 kg dry; 2,045 lbs./925 kg filled*
Lighting	Blue LED light, dimmable; Splendors® multi-colored LED light, dimmable (Optional)	Blue LED light, dimmable; Splendors® multi-colored LED light, dimmable (Optional)
Number of Jets	17	10
Jets	1 Moto-Massage® jet 16 Directional Precision® jets	1 Moto-Massage® jet 1 Rotary Hydromassage jet 8 Directional Precision® jets
Waterfall	n/a	n/a
Energy Efficiency	FiberCor® Insulation; Certified to the APSP 14 National Standard and the California Energy Commission	FiberCor® Insulation; Certified to the APSP 14 National Standard and the California Energy Commission
Control System	IQ 2020® 115v/20 amp** (Includes G.F.C.I. protected power cord) or 115v/30amp*** or 220v/50amp***, 60Hz	IQ 2020® 115v/15 amp** (Includes G.F.C.I. protected power cord) or 115v/30amp*** or 220v/50amp***, 60Hz
Heater	No-Fault® 1000w/115v	No-Fault® 1000w/115v
Jet Pump 1	Wavemaster® 6200; Two-speed 1.5 HP Continuous Duty, 3.2 HP Breakdown Torque	Wavemaster® 4200; Two-speed, 1.0 HP Continuous Duty, 1.7 HP Breakdown Torque
Jet Pump 2	n/a	n/a
Circulation Pump (Optional)	SilentFlo 5000®	SilentFlo 5000®
Water Care System	FROG® @ ease® In-Line Cartridge Ready	FROG® @ ease® In-Line Cartridge Ready
Ozone System (Optional)	FreshWater® III Corona Discharge	FreshWater® III Corona Discharge
Effective Filtration Area	30 sq. ft., top loading	30 sq. ft., top loading
Vinyl Cover	3" to 2" tapered, 1 lb. density foam core, Ash, Caramel or Chestnut	3" to 2" tapered, 1 lb. density foam core, Ash, Caramel or Chestnut
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, or Lift 'n Glide®	n/a
Steps (Optional)	Everwood® or Polymer Coastal Gray, Espresso, or Teak	Everwood® or Polymer Coastal Gray, Espresso, or Teak

* Includes water and 3 adults weighing 175 lbs. each


** Requires a dedicated circuit supplied to the unit at all times. Electrical requirements will vary outside the U.S.

*** G.F.C.I. protected sub-panel required in 30amp conversion or 220v mode Export models available in 230v, 50Hz, 1000w Heater

* Includes water and 2 adults weighing 175 lbs. each

** Requires a dedicated circuit supplied to the unit at all times. Electrical requirements will vary outside the U.S.

*** G.F.C.I. protected sub-panel required in 30amp conversion or 220v mode Export models available in 230v, 50Hz, 1000w Heater



“The SX is the right size for my wife and me now that our kids are gone.”

– SX owner

The Absolute Best Hot Tub Ownership Experience[®]

We are passionate about making the world's best hot tubs and delivering an unparalleled ownership experience. Our hot tubs are consistently recognized for outstanding quality and value. Hot Spring[®] spas are made by Watkins Wellness[®], an experienced team with an average employee tenure of more than a decade. This dedication and experience means unsurpassed quality, confidence and reliability for you and your family, and many years of enjoyment in your Hot Spring hot tub.

Your hot tub connection



We are the only hot tub brand to sell more than one million spas—that means there are more Hot Spring spas in backyards than any other brand. In fact, some families are second- and third-generation owners! We are the brand of choice, sold in all 50 states, Canada and nearly 70 other countries.



WatkinsWellness[®]
Feel good. Live well.™

Watkins Wellness[®], the leader in hot tub and aquatic fitness products, is part of MASCO Corporation, a Fortune 500 company whose family of quality home products includes:



We have earned SpaSearch Certification for providing a superior ownership experience every year since the award's inception in 2005.

The best hot tub retailers

When you choose a Hot Spring spa, you choose leading-edge innovation in spa features and design, as well as trained professionals. Our skilled local retailers deliver unmatched customer care before, during and long after your purchase. We have the most extensive network of genuine, passionate and helpful retailers in the industry.

A brand you can trust

For over 40 years, we've built our reputation on quality, but you don't have to take our word for it. Hear from real Hot Spring owners, people just like you at HotSpring.com/Reviews.

Our promise to you

Our warranty is comprehensive and straightforward, and we are proud to disclose it in detail. This is our pledge of quality to you.

5 Year No-Leak Shell Warranty

2 Year Shell Surface Warranty

2 Year No-Leak Plumbing Warranty

2 Year Component Warranty

2 Year No-Fault[®] Heater Warranty

2 Year Simulated Wood Warranty

2 Year LED Light Assembly Warranty – Tempo[®], Relay[®] and Rhythm[®] Spas

1 Year LED Light Assembly Warranty – SX and TX Spas

1 Year FROG[®] Warranty

Read full warranty at hotspring.com/hot-tub-owners/hot-tub-warranty/hotspot



“We researched a lot of different spas and this one has amazing reviews and benefits for the price! We love this spa and enjoy every moment spent in it...”

– Rhythm® owner

HOT SPOT[®]



From the makers of

HotSpring[®]

Every day made better[®]

Visit our website:
hotspring.com

Find us on social media:

 @HotSpringSpas

 @HotSpringSpas

 @hotspring_spas

 /hotspringspas

#HotSpringSpas



We print our brochures on only Forest Stewardship Council (FSC) paper. Printed in the USA on recycled paper that contains 10% post-consumer waste and is FSC certified. FSC ensures that the paper in our brochures contains fiber from well-managed and responsibly harvested forests. Please pass this catalog on or recycle again.



Watkins Wellness[®]

Feel good. Live well.[™]

© 2018 Watkins Wellness, 1280 Park Center Drive, Vista, CA 92081. All rights reserved. Specifications, colors, and surface materials subject to change without notice. Not all features are available on all products. Printed in USA. Hot Spot, Hot Spring, Tempo, Relay, Rhythm, The Absolute Best Hot Tub Ownership Experience, Clean Screen, CoverCradle, EverFresh, Everwood, FiberCor, FreshWater, FreshWaterAg+, IQ 2020, Lift 'n Glide, Moto-Massage, Necessories, No-Fault, Precision, SilentFlo, Splendors, UpRite, Vanishing Act, and Wavemaster are trademarks of Watkins Manufacturing Corporation. FROG and @ease are registered trademarks of King Technologies. Forest Stewardship Council, FSC, and the FSC logo are trademarks of Forest Stewardship Council, A.C. and are not affiliated with Watkins. iPod is a registered trademark of Apple, Inc. and is not affiliated with Watkins. Delta is a registered trademark of Delta Faucet Company. KraftMaid is a registered trademark of Masco Cabinetry LLC. Behr is a registered trademark of Behr Process Corporation. All 230v models must be installed by a licensed electrician in accordance with local codes. US Patent 6080973, 6195811, 6324707, 6381766, 6859952, 7219690, 7254847, 7698754, 6381766B1, D431297, D496107, D643538, D755401; and other patents pending. Model ratings based on product reviews submitted on HotSpring.com as of December 2014. For current ratings and review values visit HotSpring.com.



\$3.95
PN 63056
Rev C