GRANDEE®





Grandee shown with Alpine White shell



Grandee shown with Alpine White shell and Walnut cabinet

Seating Capacity	7 adults
Dimensions	8'4" x 7'7" x 38"/2.54m x 2.31m x .97m
Water Capacity	450 gallons/1,700 liters
Weight	940 lbs./425 kg dry; 5,920 lbs./2,685 kg filled*
Jets - 43 (w/ Stainless Steel Trim)	2 Moto-Massage® DX jets (2) 2 SoothingStream® jets 3 JetStream® jets 2 Rotary Hydromassage jets 2 Directional Hydromassage jets 30 Directional Precision® jets
Water Feature	BellaFontana® with 3 illuminated arcs of water
Water Care System (Optional)	FreshWater™ Salt System
Jet Pump 1	Wavemaster® 9000; One-speed, 2.5 HP Continuous Duty, 5.2 HP Breakdown Torque
Jet Pump 2	Wavemaster® 9200; Two-speed, 2.5 HP Continuous Duty, 5.2 HP Breakdown Torque
Circulation Pump	SilentFlo 5000° for quiet, continuous filtration
Effective Filtration Area	325 sq. ft., top loading Tri-X° filters 100% no-bypass filtration
Control System	IQ 2020° with wireless remote control 230v/50amp, 60Hz, Includes G.F.C.I. protected sub-panel
Lighting System	Luminescence® multi-color four-zone
Heater	No-Fault®, 4000w/230v
Energy Efficiency	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law
Vinyl Cover	3.5" to 2.5" tapered, 2 lb. density foam core, with hinge seal in Chocolate or Slate
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, Lift 'n Glide® or UpRite®
Entertainment System (Optional)	Wireless Sound System

^{*} Includes water and 7 adults weighing 175 lbs. each Export models available in 230v, 50Hz, 1500w Heater

CABINET AND SHELL COLOR OPTIONS

Cabinet Colors	Walnut	Driftwood	Bronze	Brushed Nickel	Sandstone	Shale
Shell Colors	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White
	Ivory	Ice Gray	Ivory	Ice Gray	Ivory	Ice Gray
	Ice Gray	Tuscan Sun	Tuscan Sun		Tuscan Sun	Platinum
	Tuscan Sun	Platinum	Desert		Desert	
	Desert					

VANGUARD®





Vanguard shown with Alpine White shell



Vanguard shown with Alpine White shell and Walnut cabinet

Seating Capacity	6 adults
Dimensions	7'3" x 7'3" x 36"/2.20m x 2.20m x .91m
Water Capacity	335 gallons/1,275 liters
Weight	695 lbs./315 kg dry; 4,540 lbs./2,070 kg filled*
Jets - 38 (w/ Stainless Steel Trim)	2 Moto-Massage® DX jet (2) 2 SoothingStream® jets 2 JetStream® jets 2 Rotary Hydromessage jets 1 Directional Hydromassage jets 27 Directional Precision® jets
Water Feature	BellaFontana® with 3 illuminated arcs of water
Water Care System (Optional)	FreshWater™ Salt System
Jet Pump 1	Wavemaster® 8000; One-speed, 2.0 HP Continuous Duty, 4.0 HP Breakdown Torque
Jet Pump 2	Wavemaster® 9200; Two-speed, 2.5 HP Continuous Duty, 5.2 HP Breakdown Torque
Circulation Pump	SilentFlo 5000° for quiet, continuous filtration
Effective Filtration Area	325 sq. ft., top loading Tri-X® filters 100% no-bypass filtration
Control System	IQ 2020° with wireless remote control 230v/50amp, 60Hz, Includes G.F.C.I. protected sub-panel
Lighting System	Luminescence® multi-color four-zone
Heater	No-Fault®, 4000w/230v
Energy Efficiency	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law
Vinyl Cover	3.5" to 2.5" tapered, 2 lb. density foam core, with hinge seal in Chocolate or Slate
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, Lift 'n Glide® or UpRite®
Entertainment System (Optional)	Wireless Sound System

^{*} Includes water and 6 adults weighing 175 lbs. each Export models available in 230v, 50Hz, 1500w Heater

CABINET AND SHELL COLOR OPTIONS

Cabinet Colors	Walnut	Driftwood	Bronze	Brushed Nickel	Sandstone	Shale
Shell Colors	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White
	Ivory	Ice Gray	Ivory	Ice Gray	Ivory	Ice Gray
	Ice Gray	Tuscan Sun	Tuscan Sun		Tuscan Sun	Platinum
	Tuscan Sun	Platinum	Desert		Desert	
	Desert					

Highlife® Collection SOVEREIGN®





Sovereign shown with Alpine White shell



Sovereign shown with Alpine White shell and Driftwood cabinet

Seating Capacity	6 adults
Dimensions	6'8" x 7'9" x 33"/2.03m x 2.36m x .84m
Water Capacity	315 gallons/1,200 liters
Weight	610 lbs./275 kg dry; 4,290 lbs./1,945 kg filled*
Jets - 28 (w/ Stainless Steel Trim)	1 Moto-Massage® DX jet (2) 2 SoothingStream® jets 1 JetStream® jet 2 Rotary Hydromassage jets 3 Directional Hydromassage jets 18 Directional Precision® jets
Water Feature	BellaFontana® with 3 illuminated arcs of water
Water Care System (Optional)	FreshWater™ Salt System
Jet Pump	Wavemaster® 9200; Two-speed, 2.5 HP Continuous Duty, 5.2 HP Breakdown Torque
Circulation Pump	SilentFlo 5000° for quiet, continuous filtration
Effective Filtration Area	195 sq. ft., top loading Tri-X° filters 100% no-bypass filtration
Control System	IQ 2020° with wireless remote control, 230v/50amp, 60Hz, Includes G.F.C.I. protected sub-panel
Lighting System	Luminescence® multi-color four-zone
Heater	No-Fault®, 6000w/230v
Energy Efficiency	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law
Vinyl Cover	3.5" to 2.5" tapered, 2 lb. density foam core, with hinge seal in Chocolate or Slate
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, Lift 'n Glide® or UpRite®
Entertainment System (Optional)	Wireless Sound System

^{*} Includes water and 6 adults weighing 175 lbs. each Export models available in 230v, 50Hz, 1500w Heater

CABINET AND SHELL COLOR OPTIONS

Cabinet Colors	Walnut	Driftwood	Bronze	Brushed Nickel	Sandstone	Shale
Shell Colors	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White
	Ivory	Ice Gray	Ivory	Ice Gray	Ivory	Ice Gray
	Ice Gray	Tuscan Sun	Tuscan Sun		Tuscan Sun	Platinum
	Tuscan Sun	Platinum	Desert		Desert	
	Desert					





Envoy shown with Alpine White shell



Envoy shown with Alpine White shell and Walnut cabinet

Seating Capacity	5 adults
Dimensions	7'9" x 7'7" x 38"/2.36m x 2.31m x .97m
Water Capacity	390 gallons/1,475 liters
Weight	830 lbs./375 kg dry; 4,960 lbs./2,250 kg filled*
Jets - 43 (w/ Stainless Steel Trim)	1 Moto-Massage® DX jet (2) 2 SoothingStream® jets 3 JetStream® jets 2 Rotary Hydromassage jets 3 Directional Hydromassage jets 10 HydroStream® jets 2 Rotary Precision® jets 19 Directional Precision® jets
Water Feature	BellaFontana® with 3 illuminated arcs of water
Water Care System (Optional)	FreshWater [™] Salt System
Jet Pump 1	Wavemaster® 9000; One-speed, 2.5 HP Continuous Duty, 5.2 HP Breakdown Torque
Jet Pump 2	Wavemaster® 8200; Two-speed, 2.0 HP Continuous Duty, 4.0 HP Breakdown Torque
Circulation Pump	SilentFlo 5000° for quiet, continuous filtration
Effective Filtration Area	325 sq. ft., top loading Tri-X° filters 100% no-bypass filtration
Control System	IQ 2020° with wireless remote control 230v/50amp, 60Hz, Includes G.F.C.I. protected sub-panel
Lighting System	Luminescence® multi-color four-zone
Heater	No-Fault [®] , 4000w/230v
Energy Efficiency	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law
Vinyl Cover	3.5" to 2.5" tapered, 2 lb. density foam core, with hinge seal in Chocolate or Slate
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, Lift 'n Glide® or UpRite®
Entertainment System (Optional)	Wireless Sound System

^{*} Includes water and 5 adults weighing 175 lbs. each Export models available in 230v, 50Hz, 1500w Heater

CABINET AND SHELL COLOR OPTIONS

Cabinet Colors	Walnut	Driftwood	Bronze	Brushed Nickel	Sandstone	Shale
Shell Colors	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White
	Ivory	Ice Gray	Ivory	Ice Gray	Ivory	Ice Gray
	Ice Gray	Tuscan Sun	Tuscan Sun		Tuscan Sun	Platinum
	Tuscan Sun	Platinum	Desert		Desert	
	Desert					

ARIA®





Aria shown with Alpine White shell



Aria shown with Alpine White shell and Walnut cabinet

Seating Capacity	5 adults
Dimensions	7'3" x 7'3" x 36"/2.20m x 2.20m x .91m
Water Capacity	325 gallons/1,225 liters
Weight	695 lbs./315 kg dry; 4,280 lbs./1,940 kg filled*
Jets - 35 (w/ Stainless Steel Trim)	1 Moto-Massage® DX jet (2) 2 SoothingStream® jets 2 JetStream® jets 2 Rotary Hydromassage jets 5 Directional Hydromassage jets 4 HydroStream® jets 18 Directional Precision® jets
Water Feature	BellaFontana® with 3 illuminated arcs of water
Water Care System (Optional)	FreshWater™ Salt System
Jet Pump 1	Wavemaster® 9000; One-speed, 2.5 HP Continuous Duty, 5.2 HP Breakdown Torque
Jet Pump 2	Wavemaster® 8200; Two-speed, 2.0 HP Continuous Duty, 4.0 HP Breakdown Torque
Circulation Pump	SilentFlo 5000° for quiet, continuous filtration
Effective Filtration Area	325 sq. ft., top loading Tri-X° filters 100% no-bypass filtration
Control System	IQ 2020° with wireless remote control 230v/50amp, 60Hz, Includes G.F.C.I. protected sub-panel
Lighting System	Luminescence® multi-color four-zone
Heater	No-Fault®, 4000w/230v
Energy Efficiency	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law
Vinyl Cover	3.5" to 2.5" tapered, 2 lb. density foam core, with hinge seal in Chocolate or Slate
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, Lift 'n Glide® or UpRite®
Entertainment System (Optional)	Wireless Sound System

^{*} Includes water and 5 adults weighing 175 lbs. each Export models available in 230v, 50Hz, 1500w Heater

CABINET AND SHELL COLOR OPTIONS

Cabinet Colors	Walnut	Driftwood	Bronze	Brushed Nickel	Sandstone	Shale
Shell Colors	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White
	Ivory	Ice Gray	Ivory	Ice Gray	Ivory	Ice Gray
	Ice Gray	Tuscan Sun	Tuscan Sun		Tuscan Sun	Platinum
	Tuscan Sun	Platinum	Desert		Desert	
	Desert					

PRODIGY®





Prodigy shown with Alpine White shell



Prodigy shown with Alpine White shell and Driftwood cabinet

Seating Capacity	5 adults
Dimensions	6'6" x 7' x 33"/1.98m x 2.13m x .84m
Water Capacity	290 gallons/1,100 liters
Weight	540 lbs./245 kg dry; 3,835 lbs./1,740 kg filled*
Jets - 22 (w/ Stainless Steel Trim)	1 Moto-Massage® DX jet (2) 2 SoothingStream® jets 1 JetStream® jets 2 Rotary Hydromassage jets 1 Directional Hydromassage jets 14 Directional Precision® jets
Water Care System (Optional)	FreshWater™ Salt System
Jet Pump	Wavemaster® 7000; One-speed, 1.65 HP Continuous Duty, 3.5 HP Breakdown Torque
Circulation Pump	SilentFlo 5000° for quiet, continuous filtration
Effective Filtration Area	195 sq. ft., top loading TriX® filters 100% no-bypass filtration
Control System	IQ 2020° with wireless remote control, 115v/20amp (includes G.F.C.I. protected power cord) or 230v/50amp, 60Hz**
Lighting System	Luminescence® multi-color four-zone
Heater	No-Fault®, 1500w/115v or 6,000w/230v
Energy Efficiency	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law
Vinyl Cover	3.5" to 2.5" tapered, 2 lb. density foam core, with hinge seal in Chocolate or Slate
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, Lift 'n Glide® or UpRite®
Entertainment System (Optional)	Wireless Sound System

* Includes water and 5 adults weighing 175 lbs. each
**G.F.C.I. protected sub-panel required in 230v mode
Export models available in 230v, 50Hz, 1500w Heater, Tri-X® filters

CABINET AND SHELL COLOR OPTIONS

Cabinet Colors	Walnut	Driftwood	Bronze	Brushed Nickel	Sandstone	Shale
Shell Colors	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White
	Ivory	Ice Gray	Ivory	Ice Gray	Ivory	Ice Gray
	Ice Gray	Tuscan Sun	Tuscan Sun		Tuscan Sun	Platinum
	Tuscan Sun	Platinum	Desert		Desert	
	Desert					

TRIUMPHTM





Triumph shown with Alpine White shell



Triumph shown with Alpine White shell and Driftwood cabinet

Seating Capacity	4 adults
Dimensions	7'9" x 6'2" x 33" / 2.36m x 1.88m x 0.84m
Water Capacity	340 gallons / 1,275 liters
Weight	525 lbs. / 240 kg; 4,060 lbs. / 1,840 kg filled*
Jets - 27 (w/ Stainless Steel Trim)	1 Moto-Massage® DX jet (2) 2 SoothingStream™ jets 4 HydroStream™ jets 1 JetStream™ jet 18 Directional Hydromassage™ jet
Water Care System (Optional)	FreshWater™ Salt System
Jet Pump	Wavemaster® 9000; One-speed, 2.5 HP Continuous Duty, 5.2 HP Breakdown Torque
Circulation Pump	SilentFlo 5000° for quiet, continuous filtration
Effective Filtration Area	195 sq. ft., top loading Tri-X° filters 100% no-bypass filtration
Control System	IQ 2020° with wireless remote control, 230v/50amp, 60Hz, Includes G.F.C.I. protected sub-panel
Lighting System	Luminescence® multi-color four-zone
Heater	No-Fault® 6000w/230v
Energy Efficiency	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law
Vinyl Cover	3.5" to 2.5" tapered, 2 lb. density foam core, with hinge seal in Chocolate or Slate
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, Lift 'n Glide® or UpRite®
Entertainment System (Optional)	Wireless Sound System

CABINET AND SHELL COLOR OPTIONS

Cabinet Colors	Walnut	Driftwood	Bronze	Brushed Nickel	Sandstone	Shale
Shell Colors	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White
	Ivory	Ice Gray	Ivory	Ice Gray	Ivory	Ice Gray
	Ice Gray	Tuscan Sun	Tuscan Sun		Tuscan Sun	Platinum
	Tuscan Sun	Platinum	Desert		Desert	
	Desert					

^{*} Includes water and 4 adults weighing 175 lbs. each
** Refer to detailed design color palette. No special orders or substitutions available.

JETSETTER® LX





Jetsetter LX shown with Alpine White shell



Jetsetter LX shown with Alpine White shell and Walnut cabinet

Seating Capacity	3 adults
Dimensions	7' x 5'5" x 33"/2.13m x 1.65m x .84m
Water Capacity	210 gallons/800 liters
Weight	480 lbs./220 kg dry; 2,755 lbs./1,250 kg filled*
Jets - 22 (w/ Stainless Steel Trim)	1 Moto-Massage® DX jet (2) 1 JetStream® jet 2 Rotary Hydromessage jets 1 Directional Hydromassage jet 4 HydroStream® jets 12 Directional Precision® jets
Water Care System (Optional)	FreshWater™ Salt System
Jet Pump	Wavemaster® 9000; One-speed, 2.5 HP Continuous Duty, 5.2 HP Breakdown Torque
Circulation Pump	SilentFlo 5000° for quiet, continuous filtration
Effective Filtration Area	195 sq. ft., top loading Tri-X° filters 100% no-bypass filtration
Control System	IQ 2020° with wireless remote control, 230v/50 amp 60hz, Includes G.F.C.I. protected subpanel
Lighting System	Luminescence® multi-color four-zone
Heater	No-Fault®, 6000w/230v
Energy Efficiency	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law
Vinyl Cover	3.5" to 2.5" tapered, 2 lb. density foam core, with hinge seal in Chocolate or Slate
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, Lift 'n Glide® or UpRite®
Entertainment System (Optional)	Wireless Sound System

^{*} Includes water and 3 adults weighing 175 lbs. each Export models available in 230v, 50Hz, 1500w Heater

CABINET AND SHELL COLOR OPTIONS

Cabinet Colors	Walnut	Driftwood	Bronze	Brushed Nickel	Sandstone	Shale
Shell Colors	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White
	Ivory	Ice Gray	Ivory	Ice Gray	Ivory	Ice Gray
	Ice Gray	Tuscan Sun	Tuscan Sun		Tuscan Sun	Platinum
	Tuscan Sun	Platinum	Desert		Desert	
	Desert					

JETSETTER®





Jetsetter shown with Alpine White shell



Jetsetter shown with Alpine White shell and Driftwood cabinet

Seating Capacity	3 adults
Dimensions	7' x 5'5" x 29"/2.13m x 1.65m x .74m
Water Capacity	200 gallons/750 liters
Weight	455 lbs./205 kg dry; 2,650 lbs./1,200 kg filled*
Jets - 14 (w/ Stainless Steel Trim)	1 Moto-Massage® DX jet (2) 1 JetStream® jet 2 Rotary Hydromessage jets 1 Directional Hydromassage jet 4 HydroStream® jets 4 Directional Precision® jets
Water Care System (Optional)	FreshWater™ Salt System
Jet Pump	Wavemaster® 7000; One-speed, 1.65 HP Continuous Duty, 3.5 HP Breakdown Torque
Circulation Pump	SilentFlo 5000° for quiet, continuous filtration
Effective Filtration Area	195 sq. ft., top loading TriX° filters 100% no-bypass filtration
Control System	IQ 2020° with wireless remote control, 115v/20 amp (includes G.F.C.I. protected power cord) or 230v/50amp, 60 Hz**
Lighting System	Luminescence® multi-color four-zone
Heater	No-Fault®, 1500w/115v or 6,000w/230v
Energy Efficiency	Certified to the APSP 14 National Standard and the California Energy Commission (CEC) in accordance with California law
Vinyl Cover	3.5" to 2.5" tapered, 2 lb. density foam core, with hinge seal in Chocolate or Slate
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, Lift 'n Glide® or UpRite®
Entertainment System (Optional)	Wireless Sound System

^{*} Includes water and 3 adults weighing 175 lbs. each
**G.F.C.I. Protected sub-panel required in 230v mode
Export models available in 230v, 50Hz, 1500w Heater, 2.5 HP
(Wavemaster® 9000; One-speed, 2.5 HP Continuous Duty, 5.2 HP Breakdown Torque), & Tri-X® filters

CABINET AND SHELL COLOR OPTIONS

Cabinet Colors	Walnut	Driftwood	Bronze	Brushed Nickel	Sandstone	Shale
Shell Colors	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White	Alpine White
	Ivory	Ice Gray	Ivory	Ice Gray	Ivory	Ice Gray
	Ice Gray	Tuscan Sun	Tuscan Sun		Tuscan Sun	Platinum
	Tuscan Sun	Platinum	Desert		Desert	
	Desert					