



Your Time Has Come

Why Now?

Because you're ready....

- ... to sit back and relax while a hot water massage releases tension from your muscles.
- ... to enjoy some fresh air and a little more time outside.
- ... to catch up with the people closest to you, free from the distractions of a typical day.

While the demands of daily life can feel relentless at times, you know it's important to stop and take some time for yourself once in a while. Now, it's your time.

Why Hot Spot®?

A Hot Spot spa is the perfect blend of affordability and quality. It's built by the makers of Hot Spring® spas, the world's number-one-selling hot tub brand and the industry leader for nearly four decades. Hot Spot spas are designed to provide you with the same excellent customer experience that Hot Spring is known for – at a value price.

By choosing Hot Spot, you get a reliable, quality spa with special features that you will enjoy for years to come. We understand what you need in a hot tub, because we're passionate hot tubbers ourselves. We know firsthand how spending time in a spa every day can rejuvenate your mind, body, and soul. Craftsmanship and long-term reliability, paired with daily enjoyment at a great price. That's the definition of value. That's Hot Spot Spas.



Average Hot Spot spa rating 4.4 out of 5. Learn more at HotSpring.com/reviews





Get More Out of Getting In

The Hydromassage Experience

Spa shoppers are searching for ways to reduce stress in their lives and soothe tired, sore muscles. What they find is not just physical relief, but mental reprieve as well – a way to slow down. They feel relaxed and unburdened in the warm water – free to reflect privately on the things that matter most, or enjoy meaningful togetherness with those closest to them.



How does all this magic happen? The spa's blend of hot water and massage creates a hydrotherapy experience that raises body temperature and increases circulation. Many dedicated hot tub users say the massage helps relax muscles and reduce stress, while the warm water increases flexibility and relieves pressure on joints.

Hot Spot® Gets Right to the Point

To create the optimum spa experience, Hot Spot spas offer just the right number of jets, configured to relieve the tension in your back, neck, shoulders, calves, and feet and leave you feeling relaxed and refreshed.

The small directional Precision® jets pinpoint specific muscles to provide relief precisely where you need it, while bigger jets offer a broad massage great for larger muscles. You can adjust the strength of these jets to create a truly customized massage.





Clean Water as Simple as 1-2-3

If you're concerned that maintaining crystal clear spa water might be difficult and time-consuming, worry not!

Maintaining the water in your Hot Spot® spa has never been easier. We start with an accessible, easy-to-clean filter cartridge and automatic low-speed filter cycles to circulate water through the spa. Add the optional EverFresh® system, and your water care program is as simple as 1-2-3.

The Three-Part EverFresh® System

For brilliantly clear, odor-free spa water, consider the EverFresh system. This special recipe for spa water care allows you to enjoy safely sanitized spa water with the use of very little chlorine. The easy three-part system includes:

- **1** The FreshWater® III ozone system. The system produces a stream of ozone bubbles that are introduced into the spa water to neutralize contaminants.
- 2 FreshWater_{Ag+°} continuous silver ion purifier. Silver ions inhibit the growth of bacteria, which allows you to maintain clean spa water with fewer chemicals. The easy-to-replace cartridges last for four months.
- **3** FreshWater MPS chlorine-free oxidizer. Add a dose of MPS after each use to sanitize spa water.

Working together, these three easy steps keep water clean and clear, and reduce the need to add chlorine to just once a week.

Water Care Enhancements

We offer a variety of water care options that can enhance the quality and feel of your spa water:

The Vanishing Act® Calcium Remover For customers with hard water, this innovative option effectively removes calcium particles from spa water, making it softer and silkier on your skin. Softer water also helps protect hot tub components from hard-water damage.

The Clean Screen® Pre-Filter

If your water has high metal or mineral content, use this one-ofa-kind pre-filter to remove organic contaminants, metals, and tannins from your fill water.



Saving Energy Means Energy Savings

Many spa shoppers think that choosing a hot tub with great features at a value price means sacrificing energy efficiency. With Hot Spot® you can have it all. Enjoy a fully featured Hot Spot spa and still take advantage of low operating costs that add up to savings, month after month.

It Starts Inside

All Hot Spot spas use FiberCor® insulation – a revolutionary



Loose, wool-like FiberCor fibers fill the spa cabinet to fully insulate the spa. FiberCor is applied at a 2 lb. density level, four times more dense than the typical 1/2 lb. foam used by most brands. It's also recyclable and environmentally responsible.

Wavemaster® Jet Pumps

Powerful and reliable, the Wavemaster jet pump provides optimum hydromassage and costefficient operation.

No-Fault® Heater

Our proven, high-quality No-Fault heater is designed to maximize heat transfer, keeping the water temperature high and your electric bill low. With a consistent water temperature, you can enjoy a relaxing soak anytime. The heater is backed by our exclusive No-Fault warranty, which has no exclusions, even for water chemistry.

Topping It Off

Our insulating cover features a dense foam core with a high insulating R-factor, and it is designed specifically for your Hot Spot spa to ensure a tight, custom fit. Plus, an energy-saving hinge seal prevents heat from escaping through the center of the spa cover.

All Hot Spot spas are certified to APSP-14, the national efficiency guideline for hot tubs, as well as to the stringent guidelines set by the California Energy Commission (CEC), the highest standard in the country.



To Truly Relax, Choose a Company You Can Trust

Getting peace of mind from a spa requires more than hot water and a good long soak. You also need assurance that the spa you've purchased is backed by a company known for quality and performance.

Because Hot Spot® spas are designed and built by the maker of Hot Spring® spas, the global hot tub leader, you can expect the very best in reliability and customer satisfaction.

With more than 600 Hot Spring dealer locations in North America, you can count on an experienced, professional Hot Spring retailer for local service and support. They are committed to providing you with an excellent experience before, during, and long after the sale. Plus, every Hot Spot spa is backed by our industry-leading limited warranty, which we disclose in full detail (see page 22).

For you, this all translates to a worry-free experience, so you can focus on enjoying the benefits of your Hot Spot spa. That's what we call The Absolute Best Hot Tub Ownership Experience.

Don't take our word for it! Read what Hot Spot owners have to say here and at HotSpring.com/reviews.

"The tub is beautiful; well built, and easy to manage. Customer Service before, during and after the process has been outstanding. I love my hot tub and consider it to be one of the smarter decisions I have made in a very long time."

"Our local dealer was great and knowledgeable. They helped us pick the right spa for our needs and budget. This spa is great for relaxation and socializing and is therapeutic for aching muscles.

- Rhythm[®] Owner, Michigan

"One of the best investments we have made in quite some time. For any couple looking to spend some quality time together we highly recommend the TX model."

- TX Owner, United States

- Relay® Owner, Ohio





Necessories®: You Define It

How you accessorize your spa is entirely up to you. Our exclusive Necessories products help customize your experience and ensure you get the most value from your spa. Whatever your ideal hot tub experience calls for, be sure to choose genuine Hot Spring® Necessories:

Wireless Music Systems

The Tempo®, Rhythm®, and Relay® models are available with integrated speakers so you can add music to your spa experience. Our wireless sound system with Bluetooth® technology allows you to transmit your favorite song to the spa from your Bluetooth-enabled device. Or, upgrade to our optional in-home dock to leave your device



inside and enjoy music at the spa from almost any source in your home.

Cover Lifters

A cover lifter proves its worth every time you use your spa by making it quick and easy to uncover the spa and start soaking. Our patented designs help reduce wear on your cover and extend its life. We offer four options, one to suit every spa and space requirement.

CoverCradle° – Dual pneumatic gas springs in our top-of-the-line lifter make cover removal a breeze. It features a low-profile design and an ultra-smooth gliding mechanism. *Requires 24" clearance*.







CoverCradle II

UpRite

Lift 'n Glide

CoverCradle II – Similar to the CoverCradle, this lifter uses a single pneumatic gas spring for smooth operation. *Requires 24" clearance.*

UpRite° – This system lifts the cover up over the spa bar top and is ideal for limited clearance applications such as decks and gazebos. *Requires* only 7" clearance.

Lift 'n Glide° – This economical cover lifter makes it easy to lift and remove your cover. *Requires 14" clearance*.

Steps

Easily enter and exit with a step designed for your Hot Spot® spa.

32" Everwood® Step – A sturdy, low-maintenance step made from the same rigid polymers as the Hot Spot cabinet. *Available in Coastal Gray, Espresso, and Teak.*

32" Polymer Step – Economical, durable, and lightweight. *Available in Coastal Gray, Espresso, and Teak*.

Looking for more? Other Hot Spot Necessories include our Spa Side Umbrella, Towel Tree, Hand Rail, and more. Visit HotSpring.com/accessories for details.

TEMPO



6 Adults 7'5" x 7'5" x 39"H 45 Jets

RHYTHM



7 Adults 7' x 7' x 36.75"H 35 Jets

RELAY



6 Adults 7' x 7' x 36.75"H

Tempo[®], Rhythm[®], and Relay[®] Full-Size and Fully Featured

Our Tempo, Rhythm, and Relay models are designed with a full complement of features and enough space to accommodate six to seven adults. These beautiful and comfortable spas are built to enhance your experience with ergonomic seating, cushioned pillows, attractive jet recesses, and sculpted footwells. Packed with features, all three models include two jet pumps and up to 45 jets to provide a satisfying massage.

Points of Light

Create nearly any mood with 10 multi-colored LED points of light in six colors. Four lights brighten the footwell while six others above the waterline reflect off the surface and sparkle as the water moves. Display a single color or a revolving display. A three-step dimmer controls the light intensity.




Soothing Sounds

The Hot Spot® waterfall feature is both attractive and soothing. As you relax, you're treated to the meditative sound of gentle, cascading water.















Light your hot tub with a single color or a revolving display.



Tempo, Rhythm, and Relay

Color options

Choose from three cabinet colors and four shell colors to enhance your outdoor space.

Cabinets



Gray





Espresso



Teak

Shells



Tuscan Sun





Sterling Marble

Desert

TEMPO°



Tempo spa shown with Tuscan Sun shell











Tempo spa shown with Tuscan Sun shell, Espresso cabinet, and Everwood® step

RHYTHM[®]



Rhythm spa shown with Pearl shell

Customer Rating: 4.4









Rhythm spa shown with Pearl shell, Coastal Gray cabinet, and Polymer step



Relay spa shown with Pearl shell











Relay spa shown with Pearl shell, Teak cabinet, and Polymer step

	TEMPO®	RHYTHM®	RELAY®
Seating Capacity	6 adults	7 adults	6 adults
Dimensions	7′5″ x 7′5″ x 39″/2.26m x 2.26m x .99m	$7' \times 7' \times 36.75'' / 2.13m \times 2.13m \times .93m$	7' x 7' x 36.75"/2.13m x 2.13m x .93m
Water Capacity	415 gallons/1,575 litres	355 gallons /1,350 liters	345 gallons/1,300 litres
Weight	910 lbs./415 kg dry; 5,420 lbs./ 2,470 kg filled*	835 lbs./380 kg dry; 5,020 lbs./ 2,290 kg filled*	835 lbs./380 kg dry; 4,765 lbs./ 2,160 kg filled*
Lighting	10 multi-color LED points of light, dimmable	10 multi-color LED points of light, dimmable	10 multi-color LED points of light, dimmable
Entertainment (Optional)	Wireless Sound System	Wireless Sound System	Wireless Sound System
Number of Jets	45	35	35
Jets (all with stainless steel trim)	6 Directional Hydromassage jets 4 Rotary Hydromassage jets 35 Directional Precision® jets	5 Directional Hydromassage jets 3 Rotary Hydromassage jets 27 Directional Precision® jets	5 Directional Hydromassage jets 3 Rotary Hydromassage jets 27 Directional Precision® jets
Waterfall	Included	Included	Included
Energy Efficiency	FiberCor® Insulation; Certified to the APSP 14 National Standard and the California Energy Commission	FiberCor® Insulation; Certified to the APSP 14 National Standard and the California Energy Commission	FiberCor® Insulation; Certified to the APSP 14 National Standard and the California Energy Commission
Control System	IQ 2020® 230v/50 amp, 60 Hz Includes G.F.C.I. protected sub-panel	IO 2020® 230v/50 amp, 60 Hz Includes G.F.C.I. protected sub-panel	IO 2020® 230v/50 amp, 60 Hz Includes G.F.C.I. protected sub-pane
Heater	No-Fault [®] 4000w/230v	No-Fault® 4000w/230v	No-Fault [®] 4000w/230v
Jet Pump 1	Wavemaster® 9200; Two-speed, 2.5 HP Continuous Duty, 5.2 HP Breakdown Torque	Wavemaster® 6000; Two-speed, 1.5 HP Continuous Duty, 3.2 HP Breakdown Torque	Wavemaster® 6000; Two-speed, 1.5 HP Continuous Duty, 3.2 HP Breakdown Torque
Jet Pump 2	Wavemaster® 9000; One-speed, 2.5 HP Continuous Duty, 5.2 HP Breakdown Torque	Wavemaster® 6500; One-speed, 1.5 HP Continuous Duty, 3.2 HP Breakdown Torque	Wavemaster® 6500; One-speed, 1.5 HP Continuous Duty, 3.2 HP Breakdown Torque
Ozone System (Optional)	FreshWater [®] III Corona Discharge	FreshWater® III Corona Discharge	FreshWater [®] III Corona Discharge
Effective Filtration Area	65 sq. ft., top loading	65 sq. ft., top loading	65 sq. ft., top loading
Vinyl Cover	3.5" to 2.5" tapered, 2 lb. density foam core, Ash, Caramel or Chestnut	3.5" to 2.5" tapered, 2 lb. density foam core, Ash, Caramel or Chestnut	3.5" to 2.5" tapered, 2 lb. density foar core, Ash, Caramel or Chestnut
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, Lift 'n Glide®, or UpRite®	CoverCradle®, CoverCradle II, Lift 'n Glide®, or UpRite®	CoverCradle®, CoverCradle II, Lift 'n Glide®, or UpRite®
Steps (Optional)	Everwood® or Polymer Coastal Gray, Espresso, or Teak	Everwood® or Polymer Coastal Gray, Espresso, or Teak	Everwood® or Polymer Coastal Gray, Espresso, or Teak
	* Includes water and 6 adults weighing 175 lbs. each; Export models available in 240v, 50Hz, 2000w Heater	* Includes water and 7 adults weighing 175 lbs. each; Export models available in 240v, 50Hz, 2000w Heater	* Includes water and 6 adults weighing 175 lbs. each; Export models available in 240v, 50Hz, 2000w Heater



SX and TX The Right Size for The Right Space

Not everyone needs a spa with 40 jets, two jet pumps, and space for six or seven adults. Just because you have a smaller family or less space doesn't mean you can't experience all the therapeutic benefits of a Hot Spot® spa. Our three-person SX and two-person TX spas fit the space you have and provide the spa experience you are looking for.

Exclusive Moto-Massage[®] Jet

Beyond the powerful WaveMaster® jet pump, No-Fault® heater, and energy-efficient FiberCor® insulation, the SX and TX models come with the patented Hot Spring® Moto-Massage moving jet. This exclusive, revolutionary jet produces a warm stream of water that sweeps up and down the length of your back

for an unparalleled hydromassage experience.

The Right Size for the Right Space

Our TX spa was the first of its kind in the industry. With its slim profile and unique triangular shape, the TX fits through standard doorways, goes up and down stairs, and navigates around corners. Compact enough for a second-floor deck, yet

out and relax, the SX and TX models are ideal choices for a first hot tub, small families, empty nesters, condo owners, and more.

Optional Dedicated Circulation Pump

For maximum energy efficiency, quieter operation, and continuous filtration, the optional SilentFlo 5000° circulation pump can be added to the SX and TX models.

roomy enough for you to stretch





3 Adults 6' x 6' x 33"H 17 Jets

ΤX



SX and TX

Color options

SX and TX models are available in a choice of three cabinet colors and two shell colors.



SX spa shown with Pearl shell



TX spa shown with Pearl shell

Cabinets







Teak

Customer Rating: 4.4




























SX spa shown with Pearl shell, Coastal Gray cabinet, and Polymer step



TX spa shown with Pearl shell, Espresso Cabinet

	SX	ΤX
Seating Capacity	3 adults	2 adults
Dimensions	6' x 6' x 33" H/1.83m x 1.83m x .84m	5'8.5" x 5'8.5" x 29" H/1.74m x 1.74m x .74m
Water Capacity	285 gallons/1,075 litres	140 gallons/525 litres
Weight	720 lbs./325 kg dry; 3,620 lbs./1,640 kg filled*	525 lbs./240 kg dry; 2.045 lbs./925 kg filled*
Lighting	Blue LED light, dimmable; Splendors® multi-colored LED light, dimmable (Optional)	Blue LED light, dimmable; Splendors® multi-colored LED light, dimmable (Optional)
Number of Jets	17	10
Jets	1 Moto-Massage® jet 16 Directional Precision® jets	1 Moto-Massage® jet 1 Rotary Hydromassage jet 8 Directional Precision® jets
Waterfall	n/a	n/a
Energy Efficiency	FiberCor® Insulation; Certified to the APSP 14 National Standard and the California Energy Commission	FiberCor® Insulation; Certified to the APSP 14 National Standard and the California Energy Commission
Control System	IQ 2020® 115v/20 amp** (Includes G.F.C.I. protected power cord) or 115v/30 amp*** or 220v/50 amp***, 60 Hz	IQ 2020® 115v/15 amp** (Includes G.F.C.I. protected power cord) or 115v/30amp*** or 220v/50amp***, 60Hz
Heater	No-Fault® 1000w/115v	No-Fault® 1000w/115v
Jet Pump 1	Wavemaster® 6000; Two-speed 1.5 HP Continuous Duty, 3.2 HP Breakdown Torque	Wavemaster® 4000; Two-speed, 1.0 HP Continuous Duty, 1.7 HP Breakdown Torque
Jet Pump 2	n/a	n/a
Circulation Pump (Optional)	SilentFlo 5000®	SilentFlo 5000®
Ozone System (Optional)	FreshWater® III Corona Discharge	FreshWater® III Corona Discharge
Effective Filtration Area	30 sq. ft., top loading	30 sq. ft., top loading
Vinyl Cover	3" to 2" tapered, 1 lb. density foam core, Ash, Caramel or Chestnut	3" to 2" tapered, 1 lb. density foam core, Ash, Caramel or Chestnut
Cover Lifter (Optional)	CoverCradle®, CoverCradle II, or Lift 'n Glide®	n/a
Steps (Optional)	Everwood® or Polymer Coastal Gray, Espresso, or Teak	Everwood® or Polymer Coastal Gray, Espresso, or Teak
	Includes water and 3 adults weighing 175 lbs.each Requires a dedicated circuit supplied to the unit at all times. Electrical requirements will vary outside the U.S. Fig. 6.F.C.I. protected sub-panel required in 30amp conversion or 220v mode Export models available in 230v, 50Hz, 1000w Heater	Includes water and 2 adults weighing 175 lbs.each Requires a dedicated circuit supplied to the unit at all times. Electrical requirements will vary outside the U.S. *** G.F.C.I. protected sub-panel required in 30amp conversion or 220v mode Export models available in 230v, 50Hz, 1000w Heater



Limited Warranty

Watkins Manufacturing Corporation ("Watkins") warrants to the original consumer purchaser ("you") the following about your new Hot Spot spa, when purchased from an authorized dealer/service provider ("dealer").

5 Year No Leak Shell Warranty

Watkins warrants against water loss due to defects in the spa shell for five years.

2 Year Shell Surface Warranty

Watkins warrants the acrylic surface material of the Hot Spot spa to be free from defects in materials and workmanship for two years.

2 Year No Leak Plumbing Warranty

Watkins warrants the Hot Spot spa against leaks caused by defects in manufacturing and workmanship for two years. This warranty specifically covers leaks from the wall fittings, jet fittings, internal plumbing, internal glue joints, drains, hoses, and all bonded parts.

2 Year Component Warranty

Watkins warrants the electrical components, pump(s), Moto-Massage® jet, and other Hot Spot spa components against defects in materials and workmanship for two years. Some parts, most of which can be changed out without the use of tools, such as filter cartridges, filter lid, spa pillows, and cover locks, are not included in this warranty, but are warranted to be free from defects in materials and workmanship at the time of delivery. Spa covers and other spa accessories are specifically excluded from this warranty, although they may be covered by other warranties. Please check with your Hot Spot dealer for details.

2 Year No-Fault® Heater Warranty

Watkins unconditionally warrants the No-Fault heater to be free from defects in materials and workmanship for two years. This warranty defines unconditional, with exclusion of commercial or industrial use, and improper installation as warranty coverage without exception provided that the component has failed to operate properly within the spa's system.

2 Year Simulated Wood Warranty

Watkins warrants the simulated wood cabinet material to be free from defects in materials and workmanship for two years. This warranty specifically covers the cabinet's structural integrity (exclusive of surface stain), including the material and assembly.

The simulated wood cosmetic finish is warranted to be free from defects in materials and workmanship at the time of initial delivery. Fading and weathering of the surface may occur naturally over time, and are not defects. To restore the cabinet's appearance, refer to the spa Owner's Manual for proper care and maintenance instructions.

2 Year LED Light Assembly Warranty— Tempo®, Relay® and Rhythm® Spas

Watkins warrants the LED light assemblies of the Tempo, Relay and Rhythm spas, which consists of all lights within the spa, to be free from defects in materials and workmanship for two years.

1 Year LED Light Assembly Warranty— SX and TX Spas

Watkins warrants the LED light assemblies of the SX and TX spas to be free from defects in materials and workmanship for one year. The following applies to all of the warranties listed:

Extent of Warranty

This warranty extends only to the original consumer purchaser of the Hot Spot spa when purchased and originally installed within the country of purchase. This warranty begins on your delivery date of the spa, but in no event later than one year from the date of purchase. This warranty terminates upon any transfer of ownership, or if the spa is installed or relocated outside the country of purchase by the original consumer purchaser prior to the expiration of the warranty period.

Warranty Performance

To make a claim under this warranty, contact your dealer. In the event you are unable to obtain service from the dealer, please contact Watkins Manufacturing Corporation at 1280 Park Center Drive, Vista, California, 92081, Attn: Customer Service Department or (800) 999-4688 or (760) 598-6464 for customers outside of the US or via e-mail, custsvc@watkinsmfg.com. You must give Watkins and/or your dealer written notice of any warranty claim, along with a copy of your original purchase receipt indicating the date of the purchase, within ten (10) days of the time you discover the claim. Watkins reserves the right to inspect the malfunction or defect on location.

Watkins or its Authorized Service Agent will repair any defects covered by this warranty. Except as described herein, you will not be charged for parts, labor or the freight costs for parts necessary to repair the spa for defects covered by this warranty. In some cases, the servicing dealer may charge you a reasonable repairperson travel/service charge that is not covered by this warranty. Please contact the dealer for information regarding any such charges.

Limitations

Except as described above, this warranty does not cover defects or damage due to normal wear and tear, improper installation, alteration without Watkins' prior written consent, accident, acts of God, misuse, abuse. commercial or industrial use, use of an accessory not approved by Watkins, failure to follow Watkins' Pre-Delivery Instructions or Owner's Manual, or repairs made or attempted by anyone other than an authorized representative of Watkins. Alteration includes. but is not limited to, any component or plumbing change, or electrical conversion. Visit www.hotspring.com or contact your dealer for a list of manufacturer approved accessories

Disclaimers

TO THE EXTENT PERMITTED BY LAW. WATKINS SHALL NOT BE LIABLE FOR LOSS OF USE OF THE SPA OR OTHER INCIDENTAL OR CONSEQUENTIAL COSTS, EXPENSES, OR DAMAGES, INCLUDING BUT NOT LIMITED TO THE REMOVAL OF ANY DECK OR CUSTOM FIXTURE OR ANY COST TO REMOVE OR **REINSTALL THE SPA. IF NEEDED.** Some states and countries do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you. ANY IMPLIED WARRANTIES, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO THE **DURATION OF THE APPLICABLE WARRANTY STATED ABOVE.** Some states and countries do not allow limitations on how long an implied warranty may last, so the above limitations may not apply to you.

Legal Remedies

This warranty gives you specific legal rights, and you may have other rights which vary from state to state or country to country.







We print our brochures on only Forest Stewardship Council (FSC) Paper. Printed in the USA on recycled paper that contains 10% post-consumer waste and is FSC certified. FSC ensures that the paper in our brochures contains fiber from well-managed and responsibly harvested forests. Please pass this catalog on or recycle again.



The paper in this brochure was manufactured with electricity in the form of renewable energy (wind, hydro, and biogas).

© 2015 Watkins Manufacturing Corporation, 1280 Park Center Drive, Vista, CA 92081. Specifications, colors, and surface materials subject to change without notice. Not all features are available on all products. Printed in USA. Hot Spot, Hot Spring, Tempo, Relay, Rhythm, Clean Screen, CoverCradle, EverFresh, Everwood, FiberCor, FreshWater, FreshWater, FreshWater, IQ 2020, Lift in Glide, Moto-Massage, No-Fault, Precision, SilentFlo, Splendors, UpRite, Vanishing Act, and Wavemaster are trademarks of Watkins Manufacturing Corporation. Forest Stewardship Council, FSC, and the FSC logo are trademarks of Forest Stewardship Council, A.C. and are not affiliated with Watkins. iPod is a registered trademark of Apple, Inc. and is not affiliated with Watkins. All 230v models must be installed by a licensed electrician in accordance with local codes. US Patent #5,647,736; #5,810,257; #5,810,262; #5,819,332; #5,924,850; #6,080,973; #6,195,811; #6,324,707; #6,381,766; #6,859,952; #6,873,793; #7,219,690; #7,254,847; #7,698,754; #6,381,766B1; D431297; D496107; D643538; D644335; D657881; D680656; D685104; D687557; and other patents pending. Model ratings based on product reviews submitted on HotSpring.com as of December 2014. For current ratings and review values visit HotSpring.com.

From the makers of











